Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	((detect$3 or intercept$3 or monitor$3) with (file near2 (chang$3 or manipulat$4))) same ((mirror$3 or shadow$3 or creat$3 or generat$3 or cach$3) near3 (backup$1 or archive$1 or cop$3)) and (notif$5 with availa$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:43
L3	0	((detect$3 or intercept$3 or monitor$3) with (file near2 (chang$3 or manipulat$4))) same ((mirror$3 or shadow$3 or creat$3 or generat$3 or cach$3) near3 (backup$1 or archive$1 or cop$3)) and ((notif$5 or message$1) with availa$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:46
L4	6	((detect$3 or intercept$3 or monitor$3) with (file near2 (chang$3 or manipulat$4))) same ((mirror$3 or shadow$3 or creat$3 or generat$3 or cach$3) near3 (backup$1 or archive$1 or cop$3)) and (notif$5 or message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:49
L5	50	((notif$5 or message$1) near5 availab$5) with backup$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L6	3	5 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L7	93	(notif$5 or message$1) with availab$5 with backup$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:52
L8	11	7 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:51
L9	5	(shadow$3 or mirror3 or replicat$3) same ((notif$5 or message$1) with availab$5 with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:52

L10	2	(shadow$3 or mirror3 or replicat$3) and ((notif$5 or message$1) with (space near2availab$5) with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:54
L11	32	(shadow$3 or mirror3 or replicat$3) and ((notif$5 or message$1) with ((space$1 or storage$1) near2availab$5) with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:59
L12	0	(shadow$3 or mirror3 or replicat$3) and ((notif$5 or message$1) with ((space$1 or storage$1) near2 availab$5) with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:59
L13	4	((notif$5 or message$1) with ((space$1 or storage$1) near2 availab$5) with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:01
L14	6	((notif$5 or message$1) with ((space$1 or storage$1) near2 (enough or availab$5)) with backup$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:02
L15	14	((notif$5 or message$1) with ((space$1 or storage$1) near2 (enough or availab$5)) with (archiv$3 or backup$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:03
L16	8	((notif$5 or message$1) with ((space$1 or storage$1) near2 (enough or availab$5)) with (archiv$3 or (back$3 near2 up$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:07
L17	1	(notif$5 with ((space$1 or storage$1) near2 (enough or availab$5)) with (archiv$3 or (back$3 near2 up$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08
L18	246	(notif$5 with ((space$1 or storage$1) near2 (enough or availab$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08
L19	0	(notif$5 with ((space$1 or storage$1) near2 (enough or availab$5))) same (back$3 near2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:08

L20	25	(notif$5 with ((space$1 or storage$1) near2 (enough or availab$5))) and (back$3 near2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:11
L21	63	(notif$5 with ((space$1 or storage$1) near2 (enough or availab$5))) and ((back$3 near2 up) or restor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:11
L22	12	21 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:12
L23	8	21 and (detect$3 with change$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:12